


Clipping

3

- Stuff outside view volume should not be drawn
 - Too close: obscures view



Clipping

4

- Stuff outside view volume should not be drawn
 - Too close: obscures view
 - Too far:
 - Complexity
 - Z-buffer problems
 - Too high/low/right/left:
 - Memory errors
 - Broken algorithms
 - Complexity

Clipping Line to Line/Plane


5

Line segment to be clipped

$$\mathbf{x}(t) = \mathbf{a} + t(\mathbf{b} - \mathbf{a})$$

Line/plane that clips it

$$\hat{\mathbf{n}} \cdot \mathbf{x} - \hat{\mathbf{n}} \cdot \mathbf{r} = 0$$



Clipping Line to Line/Plane


6-1

Line segment to be clipped

$$\mathbf{x}(t) = \mathbf{a} + t(\mathbf{b} - \mathbf{a})$$

Line/plane that clips it

$$\hat{\mathbf{n}} \cdot \mathbf{x} - f = 0$$



Clipping Line to Line/Plane

6-2

Line segment to be clipped


$$\mathbf{x}(t) = \mathbf{a} + t(\mathbf{b} - \mathbf{a})$$

Line/plane that clips it

$$\hat{\mathbf{n}} \cdot \mathbf{x} - f = 0$$

$$\hat{\mathbf{n}} \cdot (\mathbf{a} + t(\mathbf{b} - \mathbf{a})) - f = 0$$

$$\hat{\mathbf{n}} \cdot \mathbf{a} + t(\hat{\mathbf{n}} \cdot (\mathbf{b} - \mathbf{a})) - f = 0$$



Clipping Line to Line/Plane


7-1

• Segment may be on one side

$$t \notin [0 \dots 1]$$

• Lines may be parallel

$$\hat{\mathbf{n}} \cdot \mathbf{d} = 0$$




Clipping Line to Line/Plane

7-2

- Segment may be on one side

$$t \notin [0 \dots 1]$$

- Lines may be parallel




$$\hat{n} \cdot d = 0$$

$$|\hat{n} \cdot d| \leq \epsilon \quad (\text{Recall comments about numerical issues})$$

Triangle Clip/Split


8-1



Polygon Clipping

10

- Find the part of a polygon inside the clip window?




Before Clipping

Polygon Clipping

11

- Find the part of a polygon inside the clip window?




After Clipping

Sutherland-Hodgman Clipping

12


- Clip to each window boundary one at a time



Sutherland-Hodgman Clipping

13


- Clip to each window boundary one at a time



Sutherland-Hodgman Clipping


16

- Clip to each window boundary one at a time



Polygon Clip to Convex Domain


17



Note double
edges.

Polygon Clip to Convex Domain

18



Polygon Clip to Convex Domain


19

- Sutherland-Hodgman algorithm
 - Basically edge walking
- Clipping done often... should be efficient
 - Liang-Barsky parametric space algorithm
 - See text for clipping in 4D homogenized coordinates

Hidden Surface Removal

22

- True 3D to 2D projection would put every thing overlapping into the view plane.
- We need to determine what's in front and display only that.




22

Z-Buffers

23

- Add extra depth channel to image
- Write Z values when writing pixels
- Test Z values before writing



Images from Olgun Arkan

Z-Buffers

24


- Benefits
 - Easy to implement
 - Works for most any geometric primitive
 - Parallel operation in hardware
- Limitations
 - Quantization and aliasing artifacts
 - Overfill
 - Transparency does not work well

24

Z-Buffers

25

- Transparency requires partial sorting:



25


Z-Buffers

26

Recall depth-value distortions.

It's a feature...

More resolution near viewer
Best use of limited precision



26

A-Buffers

27


- Store sorted list of "fragments" at each pixel
- Draw all opaque stuff first then transparent
- Stuff behind full opacity gets ignored
- Nice for antialiasing...

27

Scan-line Algorithm

28

- Assume polygons don't intersect
- Each time an edge is crossed determine who's on top



Painter's Algorithm

29

- Sort Polygons Front-to-Back
 - Draw in order
 - Back-to-Front works also, but wasteful
- How to sort quickly?
- Intersecting polygons?
- Cycles?

