CS 61B Homework 2
Due 3pm Wednesday, February 2, 2000

This homework assignment is designed to help you learn about building Java classes and to observe the decomposition of a complicated task into simple subtasks. This is an individual assignment; you may not share code with other students.

Read Chapters 4-6 of Arnow and Weiss. Copy the Homework 2 directory by doing the following, starting from your home directory:

```
mkdir hw2
cd hw2
cp $master/hw/hw2/* .
```

Your task is to fill in the implementation of a class that manipulates dates. Do not use any of the built-in operations on dates provided in the Java library in your solution. The overall task is broken down into subtasks, which we suggest you implement in a bottom-up order, so that you can easily test as you go. The grading test cases give partial credit for the more basic operations, even if some of the higher level operations do not work properly.

Please observe these notes on grading.

1) Your program must compile without errors to receive any credit on this assignment. If only one or two of your methods work, remove any code that causes problems for "javac" before submitting your solution. However, don't remove any of the method declarations that appear in the skeletal Date.java we give you.
2) We have provided a main method in the Date class that tests some of your methods. You are welcome to modify the main method as you please, perhaps to add further tests of your own. We will not be grading it in this assignment. (It does, of course, need to compile.)
3) You are welcome to add new methods to the Date class. Since they will presumably be "helping" methods, they should be private.
4) Do not not change the prototype (interface) of any method. If you change the arguments or return value, or you change a method from static to non-static, your program will not compile with our test cases, and will not receive credit.
5) Do not have any extraneous print statements in your program, including error messages. Your program should print out exactly what is specified and nothing else. (If the comment prefixing a method does not mention printing, the method should not print anything.) The only exception here is the main method, which can do anything you like.
6) Although some test cases are provided in the main method, we are likely to add trickier ones to our grading test suite. It is your responsibility to ensure that your methods work correctly on any input, not just the test cases.

The file Date.java contains a skeleton, plus some test code, for a Date class. Your job is to fill in the implementations of the methods. We have specified most or all of the methods you'll need, including some helper methods.

Part I

Implement the basic helper methods listed below. These methods, like the main method, are declared "static." They are also declared "public" so we can test them from within another class.

The Unix "cal" command will remind you of the number of days in each month. February contains 28 days most years, but 29 days during a leap year. A leap year is any year divisible by 4, except that a year divisible by 100 is not a leap year, except that a year divisible by 400 is a leap year after all.

Hence, 1800 and 1900 are not leap years, but 1600 and 2000 are. (Implement this rule in your program even if you know information to the contrary.)

```
/** Checks whether the given year is a leap year.
 *  @returns true if and only if the input year is a leap year.
 */
public static boolean isLeapYear(int year) {
  ...
}

/** Returns the number of days in a given month.
 *  @param month is a month, numbered in the range 1...12.
 *  @param year is the year in question, with no digits omitted.
 *  @return the number of days in the given month.
 */
public static int daysInMonth(int month, int year) {
  ...
}

/** Checks whether the given date is valid.
 *  @return true if and only if month/day/year constitute a valid date.
 */
public static boolean isValidDate(int month, int day, int year) {
  ...
}
```

Part II

Define the internal state that a "Date" object needs to have by declaring some data fields (all private) within the Date class. Define the basic constructor specified below. A Date should be constructed only if the date is valid. If a caller attempts to construct an invalid date, the program should halt with an error message of your choice. To halt the program, include the line:

```
System.exit(0);
```

```
/** Constructs a date with the given month, day and year.   If the date is
 *  not valid, the entire program will halt with an error message.
 *  @param month is a month, numbered in the range 1...12.
 *  @param day is between 1 and the number of days in the given month.
 *  @param year is the year in question, with no digits omitted.
 */
public Date(int month, int day, int year) {
  ...
}

/** Returns a string representation of a date in the form month/day/year.
 *  The month, day, and year are printed in full as integers; for example,
 *  12/7/1998 or 3/21/407.
 *  @return a String representation of the date.
 */
public String toString() {
  ...
}
```

```
Part III
--------
Implement the following methods.

  /** Determines whether this Date is before the Date d.
   *  @return true if and only if this Date is before d.
   */
  public boolean isBefore(Date d) {
    ...
  }

  /** Determines whether this Date is after the Date d.
   *  @return true if and only if this Date is after d.
   */
  public boolean isAfter(Date d) {
    ...
  }

  /** Returns the number of this Date in the year.
   *  @return a number n in the range 1...366, inclusive, such that this Date
   *  is the nth day of its year.  (366 is only used for December 31 in a leap
   *  year.)
   */
  public int dayInYear() {
    return 0;  // replace this line with your solution
  }

  /** Determines the number of days between d and this Date.  For example, if
   *  this Date is 12/15/1997 and d is 12/14/1997, the difference is 1.
   *  If this Date occurs before d, the result is negative.
   *  @return the number of days between d and this date.
   */
  public int difference(Date d) {
    ...
  }

Part IV
-------
Implement the final missing piece of your class, a second constructor that
takes a String argument.

  /** Constructs a Date object corresponding to the given string.
   *  @param s should be a string of the form "month/day/year" where month must
   *  be one or two digits, day must be one or two digits, and year must be
   *  between 1 and 4 digits.  If s does not match these requirements or is not
   *  a valid date, the program halts with an error message.
   */
  public Date (String s) {
    ...
  }

Submitting your solution
------------------------
Change (cd) to your hw2 directory, which should contain Date.java.  If you have
any comments you would like to make to the grader, such as parts of your
solution that you know are not correct, create a file called GRADER and put
your comments there.  In either GRADER or a comment in Data.java, include your
name, login, and lab section.  From your hw2 directory, type "submit hw2".

After submitting, if you realize your solution is flawed, you may fix it and
submit again.  You may submit as often as you like.  Only the last version you
submit before the deadline will be graded.
```