

# PROBLEM SOLVING AND SEARCH

## CHAPTER 3

### Problem-solving agents

Restricted form of general agent:

```
function SIMPLE-PROBLEM-SOLVING-AGENT(percept) returns an action
static: seq, an action sequence, initially empty
        state, some description of the current world state
        goal, a goal, initially null
        problem, a problem formulation
state ← UPDATE-STATE(state, percept)
if seq is empty then
    goal ← FORMULATE-GOAL(state)
    problem ← FORMULATE-PROBLEM(state, goal)
    seq ← SEARCH(problem)
action ← RECOMMENDATION(seq, state)
seq ← REMAINDER(seq, state)
return action
```

Note: this is offline problem solving; solution executed “eyes closed.”  
Online problem solving involves acting without complete knowledge.

### Reminders

Assignment 0 due 5pm Thursday 1/27

Assignment 1 posted, due 2/8 (online or in box in 283)

### Example: Romania

On holiday in Romania; currently in Arad.

Flight leaves tomorrow from Bucharest

Formulate goal:

be in Bucharest

Formulate problem:

states: various cities

actions: drive between cities


Find solution:

sequence of cities, e.g., Arad, Sibiu, Fagaras, Bucharest

### Outline

- ◇ Problem-solving agents
- ◇ Problem types
- ◇ Problem formulation
- ◇ Example problems
- ◇ Basic search algorithms

### Example: Romania



## Problem types

- Deterministic, fully observable  $\implies$  **single-state problem**  
Agent knows exactly which state it will be in; solution is a sequence
- Non-observable  $\implies$  **conformant problem**  
Agent may have no idea where it is; solution (if any) is a sequence
- Nondeterministic and/or partially observable  $\implies$  **contingency problem**  
percepts provide **new** information about current state  
solution is a **contingent plan** or a **policy**  
often **interleave** search, execution
- Unknown state space  $\implies$  **exploration problem** ("online")

## Example: vacuum world

Single-state, start in #5. **Solution??**

[*Right, Suck*]

Conformant, start in {1, 2, 3, 4, 5, 6, 7, 8}

e.g., *Right* goes to {2, 4, 6, 8}. **Solution??**


[*Right, Suck, Left, Suck*]

Contingency, start in #5

Murphy's Law: *Suck* can dirty a clean carpet


Local sensing: dirt, location only.

**Solution??**



## Example: vacuum world

Single-state, start in #5. **Solution??**



## Example: vacuum world

Single-state, start in #5. **Solution??**

[*Right, Suck*]

Conformant, start in {1, 2, 3, 4, 5, 6, 7, 8}

e.g., *Right* goes to {2, 4, 6, 8}. **Solution??**

[*Right, Suck, Left, Suck*]


Contingency, start in #5

Murphy's Law: *Suck* can dirty a clean carpet

Local sensing: dirt, location only.

**Solution??**

[*Right, if dirt then Suck*]




## Example: vacuum world

Single-state, start in #5. **Solution??**

[*Right, Suck*]

Conformant, start in {1, 2, 3, 4, 5, 6, 7, 8}

e.g., *Right* goes to {2, 4, 6, 8}. **Solution??**



## Single-state problem formulation

A problem is defined by four items:

**initial state** e.g., "at Arad"

**successor function**  $S(x)$  = set of action-state pairs  
e.g.,  $S(\text{Arad}) = \{\langle \text{Arad} \rightarrow \text{Zerind}, \text{Zerind} \rangle, \dots\}$

**goal test**, can be  
explicit, e.g.,  $x = \text{"at Bucharest"}$   
implicit, e.g.,  $\text{NoDirt}(x)$

**path cost** (additive)  
e.g., sum of distances, number of actions executed, etc.  
 $c(x, a, y)$  is the **step cost**, assumed to be  $\geq 0$

A **solution** is a sequence of actions  
leading from the initial state to a goal state

## Selecting a state space

Real world is absurdly complex

⇒ state space must be **abstracted** for problem solving

(Abstract) state = set of real states

(Abstract) action = complex combination of real actions  
e.g., "Arad → Zerind" represents a complex set of possible routes, detours, rest stops, etc.


For guaranteed realizability, **any** real state "in Arad" must get to some real state "in Zerind"

(Abstract) solution =

set of real paths that are solutions in the real world

Each abstract action should be "easier" than the original problem!

## Example: vacuum world state space graph




states??: integer dirt and robot locations (ignore dirt amounts etc.)

actions??: *Left, Right, Suck, NoOp*

goal test??

path cost??

## Example: vacuum world state space graph




states??:

actions??:

goal test??:

path cost??:

## Example: vacuum world state space graph




states??: integer dirt and robot locations (ignore dirt amounts etc.)

actions??: *Left, Right, Suck, NoOp*

goal test??: no dirt

path cost??:

## Example: vacuum world state space graph




states??: integer dirt and robot locations (ignore dirt amounts etc.)

actions??:

goal test??:

path cost??:

## Example: vacuum world state space graph




states??: integer dirt and robot locations (ignore dirt amounts etc.)

actions??: *Left, Right, Suck, NoOp*

goal test??: no dirt

path cost??: 1 per action (0 for *NoOp*)

Example: The 8-puzzle




Start State

Goal State

states??  
 actions??  
 goal test??  
 path cost??

Example: The 8-puzzle




Start State

Goal State

states??: integer locations of tiles (ignore intermediate positions)  
 actions??: move blank left, right, up, down (ignore unjamming etc.)  
 goal test??: = goal state (given)  
 path cost??:

Example: The 8-puzzle




Start State

Goal State

states??: integer locations of tiles (ignore intermediate positions)  
 actions??  
 goal test??  
 path cost??

Example: The 8-puzzle




Start State

Goal State

states??: integer locations of tiles (ignore intermediate positions)  
 actions??: move blank left, right, up, down (ignore unjamming etc.)  
 goal test??: = goal state (given)  
 path cost??: 1 per move

[Note: optimal solution of  $n$ -Puzzle family is NP-hard]

Example: The 8-puzzle




Start State

Goal State

states??: integer locations of tiles (ignore intermediate positions)  
 actions??: move blank left, right, up, down (ignore unjamming etc.)  
 goal test??  
 path cost??

Example: robotic assembly



states??: real-valued coordinates of robot joint angles  
 parts of the object to be assembled

actions??: continuous motions of robot joints

goal test??: complete assembly **with no robot included!**

path cost??: time to execute


## Tree search algorithms

Basic idea:


offline, simulated exploration of state space  
by generating successors of already-explored states  
(a.k.a. **expanding** states)

**function** TREE-SEARCH(*problem*, *strategy*) **returns** a solution, or failure  
initialize the search tree using the initial state of *problem*  
**loop do**  
  **if** there are no candidates for expansion **then return** failure  
  choose a leaf node for expansion according to *strategy*  
  **if** the node contains a goal state **then return** the corresponding solution  
  **else** expand the node and add the resulting nodes to the search tree  
**end**

## Tree search example



## Tree search example




## Implementation: states vs. nodes

A **state** is a (representation of) a physical configuration

A **node** is a data structure constituting part of a search tree


includes parent, children, depth, path cost  $g(x)$

States do not have parents, children, depth, or path cost!



The EXPAND function creates new nodes, filling in the various fields and using the SUCCESSORFN of the problem to create the corresponding states.

## Tree search example




## Implementation: general tree search

## Breadth-first search

Expand shallowest unexpanded node

**Implementation:**

*fringe* is a FIFO queue, i.e., new successors go at end



```
function TREE-SEARCH(problem, fringe) returns a solution, or failure
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE(node)) then return node
    fringe ← INSERTALL(EXPAND(node, problem), fringe)

function EXPAND(node, problem) returns a set of nodes
  successors ← the empty set
  for each action, result in SUCCESSOR-FN(problem, STATE[node]) do
    s ← a new NODE
    PARENT-NODE[s] ← node; ACTION[s] ← action; STATE[s] ← result
    PATH-COST[s] ← PATH-COST[node] + STEP-COST(STATE[node], action,
    result)
    DEPTH[s] ← DEPTH[node] + 1
    add s to successors
  return successors
```

## Search strategies

A strategy is defined by picking the **order of node expansion**

Strategies are evaluated along the following dimensions:

- completeness**—does it always find a solution if one exists?
- time complexity**—number of nodes generated/expanded
- space complexity**—maximum number of nodes in memory
- optimality**—does it always find a least-cost solution?

Time and space complexity are measured in terms of


- b*—maximum branching factor of the search tree
- d*—depth of the least-cost solution
- m*—maximum depth of the state space (may be  $\infty$ )

## Breadth-first search

Expand shallowest unexpanded node

**Implementation:**

*fringe* is a FIFO queue, i.e., new successors go at end



## Uninformed search strategies

Uninformed strategies use only the information available in the problem definition


- Breadth-first search
- Uniform-cost search
- Depth-first search
- Depth-limited search
- Iterative deepening search

## Breadth-first search

Expand shallowest unexpanded node

**Implementation:**

*fringe* is a FIFO queue, i.e., new successors go at end




## Breadth-first search

Expand shallowest unexpanded node

### Implementation:

*fringe* is a FIFO queue, i.e., new successors go at end



Chapter 3 37

## Properties of breadth-first search

Complete?? Yes (if  $b$  is finite)

Time??  $1 + b + b^2 + b^3 + \dots + b^d + b(b^d - 1) = O(b^{d+1})$ , i.e., exp. in  $d$

Space??

## Properties of breadth-first search

Complete??

## Properties of breadth-first search

Complete?? Yes (if  $b$  is finite)

Time??  $1 + b + b^2 + b^3 + \dots + b^d + b(b^d - 1) = O(b^{d+1})$ , i.e., exp. in  $d$

Space??  $O(b^{d+1})$  (keeps every node in memory)

Optimal??

## Properties of breadth-first search

Complete?? Yes (if  $b$  is finite)

Time??

## Properties of breadth-first search

Complete?? Yes (if  $b$  is finite)

Time??  $1 + b + b^2 + b^3 + \dots + b^d + b(b^d - 1) = O(b^{d+1})$ , i.e., exp. in  $d$

Space??  $O(b^{d+1})$  (keeps every node in memory)

Optimal?? Yes (if cost = 1 per step); not optimal in general

**Space** is the big problem; can easily generate nodes at 100MB/sec  
so 24hrs = 8640GB.

Chapter 3 39

Chapter 3 40

Chapter 3 41

Chapter 3 42

## Uniform-cost search

Expand least-cost unexpanded node

**Implementation:**

*fringe* = queue ordered by path cost, lowest first

Equivalent to breadth-first if step costs all equal

**Complete??** Yes, if step cost  $\geq \epsilon$

**Time??** # of nodes with  $g \leq$  cost of optimal solution,  $O(b^{\lceil C^*/\epsilon \rceil})$   
where  $C^*$  is the cost of the optimal solution

**Space??** # of nodes with  $g \leq$  cost of optimal solution,  $O(b^{\lceil C^*/\epsilon \rceil})$

**Optimal??** Yes—nodes expanded in increasing order of  $g(n)$


Chapter 3 43

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 46

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 44

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 47

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 45

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front



Chapter 3 48




## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 49

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 50

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 51

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 52

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 53

## Depth-first search

Expand deepest unexpanded node

**Implementation:**

*fringe* = LIFO queue, i.e., put successors at front




Chapter 3 54

## Depth-first search

Expand deepest unexpanded node

### Implementation:

*fringe* = LIFO queue, i.e., put successors at front



Chapter 3 55

## Properties of depth-first search

**Complete??** No: fails in infinite-depth spaces, spaces with loops

Modify to avoid repeated states along path

⇒ complete in finite spaces

**Time??**  $O(b^m)$ : terrible if  $m$  is much larger than  $d$

but if solutions are dense, may be much faster than breadth-first

**Space??**

## Properties of depth-first search

**Complete??**

## Properties of depth-first search

**Complete??** No: fails in infinite-depth spaces, spaces with loops

Modify to avoid repeated states along path

⇒ complete in finite spaces

**Time??**  $O(b^m)$ : terrible if  $m$  is much larger than  $d$

but if solutions are dense, may be much faster than breadth-first

**Space??**  $O(bm)$ , i.e., linear space!

**Optimal??**

## Properties of depth-first search

**Complete??** No: fails in infinite-depth spaces, spaces with loops

Modify to avoid repeated states along path

⇒ complete in finite spaces

**Time??**

## Properties of depth-first search

**Complete??** No: fails in infinite-depth spaces, spaces with loops

Modify to avoid repeated states along path

⇒ complete in finite spaces

**Time??**  $O(b^m)$ : terrible if  $m$  is much larger than  $d$

but if solutions are dense, may be much faster than breadth-first

**Space??**  $O(bm)$ , i.e., linear space!

**Optimal??** No

Chapter 3 57

Chapter 3 59

Chapter 3 60

## Depth-limited search


= depth-first search with depth limit  $l$ ,  
i.e., nodes at depth  $l$  have no successors

**Recursive implementation:**

```

function DEPTH-LIMITED-SEARCH(problem, limit) returns soln/fail/cutoff
  RECURSIVE-DLS(MAKE-NODE(INITIAL-STATE[problem]), problem, limit)
function RECURSIVE-DLS(node, problem, limit) returns soln/fail/cutoff
  cutoff-occurred?  $\leftarrow$  false
  if GOAL-TEST(problem, STATE[node]) then return node
  else if DEPTH[node] = limit then return cutoff
  else for each successor in EXPAND(node, problem) do
    result  $\leftarrow$  RECURSIVE-DLS(successor, problem, limit)
    if result = cutoff then cutoff-occurred?  $\leftarrow$  true
    else if result  $\neq$  failure then return result
  if cutoff-occurred? then return cutoff else return failure
    
```

## Iterative deepening search $l = 1$




## Iterative deepening search

```

function ITERATIVE-DEEPENING-SEARCH(problem) returns a solution
  inputs: problem, a problem
  for depth  $\leftarrow$  0 to  $\infty$  do
    result  $\leftarrow$  DEPTH-LIMITED-SEARCH(problem, depth)
    if result  $\neq$  cutoff then return result
  end
    
```


## Iterative deepening search $l = 2$



## Iterative deepening search $l = 0$



## Iterative deepening search $l = 3$



### Properties of iterative deepening search

Complete??

### Properties of iterative deepening search

Complete?? Yes

Time??  $(d+1)b^0 + db^1 + (d-1)b^2 + \dots + b^d = O(b^d)$

Space??  $O(bd)$

Optimal??

### Properties of iterative deepening search

Complete?? Yes

Time??

### Properties of iterative deepening search

Complete?? Yes

Time??  $(d+1)b^0 + db^1 + (d-1)b^2 + \dots + b^d = O(b^d)$

Space??  $O(bd)$

Optimal?? Yes, if step cost = 1

Can be modified to explore uniform-cost tree

Numerical comparison for  $b = 10$  and  $d = 5$ , solution at far right leaf:

$$N(\text{IDS}) = 50 + 400 + 3,000 + 20,000 + 100,000 = 123,450$$

$$N(\text{BFS}) = 10 + 100 + 1,000 + 10,000 + 100,000 + 999,990 = 1,111,100$$

IDS does better because other nodes at depth  $d$  are not expanded

BFS can be modified to apply goal test when a node is **generated**

### Properties of iterative deepening search

Complete?? Yes

Time??  $(d+1)b^0 + db^1 + (d-1)b^2 + \dots + b^d = O(b^d)$


Space??

### Summary of algorithms

Criterion	Breadth-First	Uniform-Cost	Depth-First	Depth-Limited	Iterative Deepening
Complete?	Yes*	Yes*	No	Yes, if $l \geq d$	Yes
Time	$b^{d+1}$	$b^{\lceil C^*/\epsilon \rceil}$	$b^m$	$b^l$	$b^d$
Space	$b^{d+1}$	$b^{\lceil C^*/\epsilon \rceil}$	$bm$	$bl$	$bd$
Optimal?	Yes*	Yes	No	No	Yes*

## Repeated states

Failure to detect repeated states can turn a linear problem into an exponential one!



Chapter 3 73

## Graph search

```
function GRAPH-SEARCH(problem, fringe) returns a solution, or failure
  closed ← an empty set
  fringe ← INSERT(MAKE-NODE(INITIAL-STATE[problem]), fringe)
  loop do
    if fringe is empty then return failure
    node ← REMOVE-FRONT(fringe)
    if GOAL-TEST(problem, STATE[node]) then return node
    if STATE[node] is not in closed then
      add STATE[node] to closed
      fringe ← INSERTALL(EXPAND(node, problem), fringe)
  end
```

Chapter 3 74

## Summary

Problem formulation usually requires abstracting away real-world details to define a state space that can feasibly be explored

Variety of uninformed search strategies

Iterative deepening search uses only linear space  
and not much more time than other uninformed algorithms

Graph search can be exponentially more efficient than tree search

Chapter 3 75